



	North Eastern Rescue Vehicles, Inc Bob Reilly 151357, 151359, 151362, 151365 151368, 151370, 151371, 151379 (8) Units BC,
--	---

Job/Order No: 151357-79 (8) Units
 Model: Silver Transit
 Ford Transit -Silver chassis
 Type 2 Transit Silver Model Medium Roof

WO#: 151357-79 (8) Units Page 1

PART NO	S	DESCRIPTION	QTY	ID	REF. NO
		== Ford Transit -Silver chassis - 620.038 04/28/17 ==	1	WC	
		< CHASSIS:	1	WC	
		(8) Units - 151357, 151359, 151362, 151365, 151368, 151370, 151371, 151379			
00-20-4413		< Ford, 2017 Transit 250, Gas 3.7L V6, 148" WB Medium Roof - 17-1	1	WC	00-20-4415
		-(1) OEM Alternator			
		- Includes dual batteries			
		- 12V OEM outlet in dash			
		- Engine Hour meter in OEM Gauge Cluster			
		- includes OEM Back up camera option			
		THROTTLE CONTROLS:	1	WC	
1P-50-5200		-- High Idle Controls, Transit, Intermotive	1	WC	1P-50-5200
2F-71-9000		-- Monitor, Tire Pressure, OEM. Light in Dash	1	WC	9980003
		HEATING/AIR CONDITIONING:	1	WC	
XX-04-0620		< -- Heat/AC, Transit Gas, A.C.C. Combo, Ducted	1	WC	XX-04-0620
		- with NO thermostat in action area, only on /off switch.			
		- Two (2) Vents in front street side cabinet for attendant.			
		- Five (5) vents in headliner to curbside of overhead grab rail			
		- Connecting hoses for the heating and air conditioning systems supported by rubber-insulated, metal claming devices at least every 18"			
		- Filter Washable Carbon Pre-filter			
XX-05-0062		Door Panels, Transit Entry Doors, Vacuum Formed- Std	1	WC	XX-05-0062
		ENGINE BLOCKHEATER:	1	WC	
		GRILLE LIGHTS AND INTERSECTION LIGHTS, TRANSIT ONLY	1	WC	
XX-17-5210		< Light, Whelen, LIN3, LED-Red, RSRO2ZCR as intersection lights	2	WC	FLTH559400E

PART NO	S	DESCRIPTION	QTY	ID	REF. NO
XX-17-5250		< Light, Whelen, Micron, Red w/chrome Flange, Internal Flasher	2	WC	XX-17-5250
		- (2) in grille; wired thru external flasher, standard. install in Chrome flange.			
		LIGHTS MUST BE MOUNTED 18" APART*			
XX-17-52SP	X	< Light, Whelen 7L, Super LED, Red, Clear Lens IATS SR# 2161622F SO-LIT1-365145 Item # 1 -(2) install as rear intersections over rear wheel well. (1) Each side.	2		10139824
XX-17-52SR	X	< Light, Whelen Ion, Red, IATS SR# 2161622F Item # 2 -Install (2) Whelen Red ION lights in black housings on the rear doors of module. (1) each door to be located 15" Outward from center rear seam to first screw hole in light and the bottom edge of the light is to be on the upper crease of the door approx. 3 1/2" down from below the window.	2		10360707
		== Type 2 Transit Silver Model Medium Roof - 620.038	1	WC	
XX-00-0148		CRUSADER PLUS VAN < Base Bill of Materials, 2017, Transit 250 Medium Roof, Gas 17-1 SILVER CONVERSION	1	WC	XX-00-0148
		- Install anti-slip decal with Wheeled Coach logo on curbside and rear stainless steel thresholds, STD			
		INCLUDES THE FOLLOWING, STANDARD			
		- (1) Antenna pre-wire located behind Driver's Seat, run to roof antenna plate			
		-12V protection Blade style breakers with Manual reset			
		- Static air intake and Power exhaust			
		- Back up alarm without cutoff switch			
		- R-11 Reflective insulation Insulation			
		- Street side and Curbside Perco I.V. Hooks with Velcro straps			
		- 60 square inches of Red/White reflective material on each door.			
		SHIP LOOSE (1) 5 lb ABC Fire Extinguisher			

PART NO	S	DESCRIPTION	QTY	ID	REF. NO
XX-00-0555		< Harness, Transit, RMR Rail system, w/ LED Diagram Circuit board behind action area wall..	1	WC	XX-00-0555
XX-03-0300		Top, Medium Roof Transit OEM	1	WC	9980003
XX-03-0350		< -- Rear Housing,MR, Whelen, for (3) 7L lights each side (6) lights total (Transit) ABS Spoiler to hold lighting.	1	WC	XX-03-0350
XX-03-035A		-- Rear Spoiler, Driver outboard position #1	1	WC	
XX-17-4120		-- Light, 7L, Super LED, Whelen, Red, Clear Lens, ILOS,70R02SCR	1	WC	FLT82533-4
XX-03-035B		-- Rear Spoiler, Driver Center position #2	1	WC	
XX-17-1210		-- Light, 7H 9-32, Scene, 70K000ZB, (1)	1	WC	XX-17-1210
XX-03-035C		-- Rear Spoiler, Driver Inboard position #3	1	WC	
XX-17-4140		-- Light, 7L, Super LED, Whelen, Amber,Clear Lens,ILOS,70A02SCR	1	WC	FLT82534-4
XX-03-035D		-- Rear Spoiler, Passenger Inboard position #4	1	WC	
XX-17-4140		-- Light, 7L, Super LED, Whelen, Amber,Clear Lens,ILOS,70A02SCR	1	WC	FLT82534-4
XX-03-035E		-- Rear Spoiler, Passenger Center position #5	1	WC	
XX-17-1210		-- Light, 7H 9-32, Scene, 70K000ZB, (1)	1	WC	XX-17-1210
XX-03-035F		-- Rear Spoiler, Passenger outboard position #6	1	WC	
XX-17-4120		-- Light, 7L, Super LED, Whelen, Red, Clear Lens, ILOS,70R02SCR	1	WC	FLT82533-4
XX-03-0375		< -- Front Housing, MR, Whelen for (6) 700 size Warning lights- Transit ABS cowl to hold lighting.	1	WC	XX-03-0375
XX-03-037A		-- Front Upper, Driver outboard position #1	1	WC	
XX-17-4120		-- Light, 7L, Super LED, Whelen, Red, Clear Lens, ILOS,70R02SCR	1	WC	FLT82533-4
XX-03-037B		-- Front Upper, Driver inboard position #2	1	WC	
XX-17-4120		-- Light, 7L, Super LED, Whelen, Red, Clear Lens, ILOS,70R02SCR	1	WC	FLT82533-4
XX-03-037C		-- Front Upper, Driver Center position #3	1	WC	
XX-17-4171		-- Light, 7L, Super LED, Clear, Std, 70C02SCR	1	WC	FLT82863-4
XX-03-037D		-- Front Upper, Passenger Center position #4	1	WC	
XX-17-4171		-- Light, 7L, Super LED, Clear, Std, 70C02SCR	1	WC	FLT82863-4
XX-03-037E		-- Front Upper, Passenger inboard position #5	1	WC	
XX-17-4120		-- Light, 7L, Super LED, Whelen, Red, Clear Lens, ILOS,70R02SCR	1	WC	FLT82533-4
XX-03-037F		-- Front Upper, Passenger outboard position #6	1	WC	
XX-17-4120		-- Light, 7L, Super LED, Whelen, Red, Clear Lens, ILOS,70R02SCR	1	WC	FLT82533-4
XX-17-119B		< -- Housings, Cast, Side Warning/Scene Lights, Medium Roof Transit Only (1) 7x3 Warning Light & (1) 7 Series Scene Light will fit in each housing. Drivers Side Front - LH37245-1 Drivers Side Rear-LH37247-1 Passengers Side Front-LH37246-1 Passengers Side Rear-LH37248-1	1	WC	XX-17-119B
XX-17-119W		-- Front Light on Driver's side	1	WC	
XX-17-1210		-- Light, 7H 9-32, Scene, 70K000ZB, (1)	1	WC	XX-17-1210
XX-17-4120		-- Light, 7L, Super LED, Whelen, Red, Clear Lens, ILOS,70R02SCR	1	WC	FLT82533-4
XX-17-119X		-- Rear Light on Driver's side	1	WC	
XX-17-1210		-- Light, 7H 9-32, Scene, 70K000ZB, (1)	1	WC	XX-17-1210

PART NO	S	DESCRIPTION	QTY	ID	REF. NO
XX-17-4120		-- Light, 7L, Super LED, Whelen, Red, Clear Lens, ILOS,70R02SCR	1	WC	FLT82533-4
XX-17-119Y		-- Front Light on Passenger's side	1	WC	
XX-17-1210		-- Light, 7H 9-32, Scene, 70K000ZB, (1)	1	WC	XX-17-1210
XX-17-4120		-- Light, 7L, Super LED, Whelen, Red, Clear Lens, ILOS,70R02SCR	1	WC	FLT82533-4
XX-17-119Z		-- Rear Light on Passenger's side	1	WC	
XX-17-1210		-- Light, 7H 9-32, Scene, 70K000ZB, (1)	1	WC	XX-17-1210
XX-17-4120		-- Light, 7L, Super LED, Whelen, Red, Clear Lens, ILOS,70R02SCR	1	WC	FLT82533-4
XX-03-0450		Third (3rd) Brakelight, Transit OEM on roof	1	WC	9980003
		REAR BUMPER:	1	WC	
XX-05-009B		Bumper, Rear step, OEM, Transit	1	WC	XX-05-009B
XX-05-0101		Running Boards, NONE REQUIRED	1	WC	9980003
		PAINT/BELTS:	1	WC	
XX-07-0005		Paint, Belt, None	1	WC	FLT1250202
		CONVERTERS :	1	WC	
XX-10-0022		Converter,lota, 15 Amp	1	WC	XX-10-0022
		110VAC SHORELINE:	1	WC	
XX-10-0047		< Shoreline, Auto Eject, 20A, White Cover, ILOS - driver's side, standard location - (2) outlets std, (1) in A/A, (1) upper RF cabinet	1	WC	FLT1200664S
XX-10-0069		2nd Shoreline - None Required	1	WC	
		BATTERY SWITCH:	1	WC	
XX-10-007T		Battery Sw, Cole Hersey 2484-16 Paddle	1	WC	XX-10-007T
XX-10-007U		Auto Shut Down Timer (Kill Circuit) NONE	1	WC	
		12VDC POWER SOURCES:	1	WC	
XX-10-0083		< Outlet, Cigar, Lighter, (2), STD, in A/A - (2) in Action Area	1	WC	FLT1800258
XX-10-0085		< Outlet, Cigar Lighter, IATS (1) Above squad bench, 20" up from the top deck of the squad bench, 8" over from the edge of side entry door	1	WC	FLT1801258
XX-10-0088		< Power Source, 12VDC, 20A, Battery Switch/Ignition Hot RADIO Power #1	1	WC	XX-10-0088
XX-10-601A		-- Location -Behind Driver's seat	1	WC	
XX-10-0088		< Power Source, 12VDC, 20A, Battery Switch/Ignition Hot RADIO Power #2	1	WC	XX-10-0088
XX-10-601A		-- Location -Behind Driver's seat	1	WC	
XX-10-0100		< Outlet, Dual USB Port, 5VDC, 2.1Amp output, Standard Located on the passenger side of the center console, per Electrical Engineering	1	WC	XX-10-0100
		PRE WIRES:	1	WC	
XX-15-0005		< Prewire, Inverter, Vanner 20-1050CUL-DC, Plug In - With Lugs, Clips and Remote Switch	1	WC	FLT1200463
		SIREN SPEAKERS:	1	WC	
XX-15-0146		Speakers, Federal ES100C,Thru bumper, Dual, Transit	1	WC	XX-15-0146
		SIREN:	1	WC	
XX-15-0155		Siren, Whelen, WS-295-SLSA1	1	WC	FLT1700297
XX-15-0213		< Console, Cab, Transit, Std - ABS Vacuum molded Engine Cover Console. - Angled Area: Switches - Flat Area: Siren and Radio area	1	WC	XX-15-0213

PART NO	S	DESCRIPTION	QTY	ID	REF. NO
		SWITCH PANELS	1	WC	
XX-05-0571		-- Front Switch Panel, Transit, Switches in OEM Console	1	WC	XX-05-0571
XX-05-0572		-- Action Area Switch Panel, Transit, Small Switches	1	WC	XX-05-0572
		METERS:	1	WC	
XX-15-0316		< Smart Voltmeter with Low Voltage Alarm, Audio/Visual Light and Buzzer in cab console.	1	WC	XX-15-0316
		HAND HELD SPOTLIGHT:	1	WC	
XX-15-0381		Spotlight, Hand Held, NONE Required	1	WC	XX-15-0381
XX-15-0451		Light, Action Area, Grote LED Strip- STD. Transit	1	WC	XX-15-0451
		INTERIOR LIGHTS:	1	WC	
XX-15-048U		Lights,Dome,LED,Kenequip,K15,(3)S/S,(3)C/S,Std -Transit	1	WC	XX-15-048U
XX-15-049A		CS stepwell Light- NONE	1	WC	
		HEADLIGHT FLASHER:	1	WC	
XX-15-0501		Flasher, Headlight, NONE Required	1	WC	
		SEQUENCER/LOAD MANAGER:	1	WC	
		FLASHERS:	1	WC	
XX-15-0953		< Flasher, Vanner, 9860GCPE, Standard Flash Pattern will be Dual Burst unless otherwise Noted	1	WC	XX-15-0953
		(Available flash Patterns are Alternate Flash, Triple Burst, Quad Burst and Dual Burst)			
		SCENE AND LOAD LIGHTS	1	WC	
		SWITCHING OPTIONS FOR LIGHTING:	1	WC	
XX-17-5561		Circuit, Scene Lts, Rear, to Act w/ Rev Gear	1	WC	XX-17-5561
XX-17-5567		Circuit, C/S Scene Lights, Act with C/S door	1	WC	XX-17-5567
		OVERHEAD GRAB RAIL:	1	WC	
XX-17-6032		Grabrail,Overhead,72",Handicap Style,Anti-Microbial Gray,Recessed	1	WC	XX-17-6032
XX-17-6034		Grabrail insert, Transit, White, Standard	1	WC	XX-17-6035W
		REFLECTORS:	1	WC	
		OXYGEN SYSTEM:	1	WC	
XX-17-6082	S	< O2 System,Transverse Storage, (2) A/A (1) C/S Liner, Transit - Ohio Style - (1) O2 Outlet in A/A - (1) O2 Outlet in C/S Liner @ Head of S/B - O2 storage is transverse, slide out, tilt-down tray with stainless steel straps, standard	1	WC	10128800
XX-17-6200		Regulator, Oxygen Cylinder, Preset 50PSI, Installed	1	WC	XX-17-6200
		SUCTION PUMP:	1	WC	
XX-17-7550		Suction Pump, Electric, STD	1	WC	FLT2396351
		SUCTION CONTAINERS:	1	WC	
XX-17-7655		Suction Holder/Regulator, SSCOR 22000, Std	1	WC	FLT2300227
XX-17-8101		ABS Glove Box Dispenser- None Required	1	WC	
		STANDARD CABINETS:	1	WC	
XX-19-000B		Transit Cabinet Package,Medium Roof, Transverse O2 at Bulkhead	1	WC	MEDIUM ROOF
XX-19-000C		< -- Cabinet,Transit, Squad Bench, Sharps @Head, O2 in blkhd,w/BB slot - Sharps dropped into opening in lid of squad bench with spring latch to hold in place - Dual squad bench Lids, butt style hinges - with 60# Gas Strut Style Hold Opens (ECN1816) - with vertical Backboard storage slot, 5 1/2"W x 17 1/4"H	1	WC	XX-19-000B
		SEAT BELTING SQUAD BENCH:	1	WC	

PART NO	S	DESCRIPTION	QTY	ID	REF. NO
XX-19-009C	<	-- Squad bench Seat belts (2) Six Point restraints, Yellow - No lap belts - (3) Black Restraints for secondary patient	1	WC	XX19009Y
XX-19-000G		-- Squad bench Latches, Transit, Slam Action Paddle, (2) RIGHT FRONT CABINET	1	WC	XX-19-000G
XX-19-001G	<	-- Cabinet, MR Transit, Right Front, Transverse O2 Cabinet, Enclosed I3, No BB - Transverse O2 storage - Curbside inset Access door - hinged Lexan Viewing window - Bottom section "I3"- 15.125" H x 22.5" W x 12.25"D Enclosed with Wood door BOTTOM HINGED and Locking lever latch. - Open storage area above I3: with an adjustable Aluminum shelf	1	WC	XX-19-001G
XX-19-002A	<	BASEWALL CABINET -- Cabinet, Lower Basewall, Transit - Rear Basewall To Have Open Storage from rear for Stair chair -Trimmed per ENG design -43.5"H x 11.25"W x 21.125" D - Cabinet "D1" Large cabinet with Center fixed divider 17.375" H x 56.5" W x 9.25"D with One adjustable shelf in each Section. Sliding Lexan Doors. - Cabinet "D2"-Under rear of "D1"- 17.875" H x 27.25" W x 9.25"D With Sliding Lexan Doors and (1) adjustable shelf - Cabinet "D3"- Under front of "D1" - 11.125" H x 28.5" W x 9.25"D With Sliding lexan Doors and (1) adjustable shelf - Under "D3" Is a vented access door 11" H X 16" W for inverter and Battery charger options. Forward Of "D1" is the action area - with drop in trash CONTAINER and red Lexan flap. Below the Action Area is the Air conditioning unit air intake vent.	1	WC	XX-19-002A
XX-19-002C	<	-- Cabinet, Upper Basewall, Transit, Med Roof - Cabinet "A" Large cabinet with Center fixed divider 6.875" H x 38" W x 5.25" D. Sliding Lexan Doors. - Cabinet "B" Large cabinet with Center fixed divider 6.875" H x 40.25" W x 5.25" D. Sliding Lexan Doors. - Cabinet "M" Drug box -6.875" H x 8.5" W x 5.25" D with hinged Wood Door w/ locking lever latch	1	WC	XX-19-002C
		BULKHEAD CABINET	1	WC	

PART NO	S	DESCRIPTION	QTY	ID	REF. NO
XX-19-007B	<	[- Cabinet, MR Transit, Bulk Head Wall, Pass-thru Only - Front bulk head will be a solid wall with a window (pass through) approximately 17"H x 10.5" wide off center toward driver's side.	1	WC	XX-19-007A
XX-19-013X	X	ATTENDANT SEAT: < Seat, Attendant, EVS Child Safety Seat, Cobalt Blue, 6Pt, w/ Yellow seat belt SR 2161622F Seat, Attendant, EVS Child Safety Seat, Cobalt Blue, 6Pt, w/ Yellow seat belt SE65142 EVS #188060 Child/Attendant seat, 6-point Yellow restraint ILOS	1 1	WC	10360709
XX-19-0163		FLOORING : Flooring, Loncoin II, Flecks Sapphire #152, ILOS	1	WC	XX-19-0163
XX-19-0212		UPHOLSTERY: Upholstery, Cobalt Blue Seamless	1	WC	XX-19-0212
XX-19-0321		MICA: Mica, Gloss Gray, Transit	1	WC	XX-19-0321
XX-19-0376	<	LEXAN COLOR: Lexan, Gray 1/4" Lexan Standard	1	WC	TRANSPLEXG
XX-19-0450	<	CABINET ADD-ONS: Latch, Lever, With Key, Black Cabinet "H", "M", Inverter access	1 5	WC WC	FLT2019704
XX-19-0474		Safety Net, Yellow, Head of Squad Bench, Transit	1	WC	XX-19-0474
XX-19-0506	<	Strap, Two Inch Seatbelt style (1) across Backboard slot opening (1) across Stair chair storage opening	2	WC	XX-19-0506
XX-19-0712	<	COT MOUNTS INSTALLED: Cot Mount, Stryker 6370, Floor Mount - Change Notice 8- NOT COMPLIANT Set to MX Pro	1 1	WC WC	XX-19-0712
XX-19-0821		Hook, Rear Safety, Installed, Stryker cot	1	WC	FLT2401702
ZZ-10-0101		SHIP LOOSE: Warranty, Conversion, 12 Month	1	WC	0589998-14
ZZ-10-0601		Warranty, Limited Electrical	1	WC	0589993-14
ZZ-10-0701		Warranty, Cabinet Construction	1	WC	ZZ100701-14
ZZ-ZZ-0200		End Of Order	1	WC	9980002